

VILLAGE OF GLENCOE

CONTRACT FOR

2026 Residential Concrete Sidewalk and Curb Replacement Project

Full Name of Bidder Schroeder & Schroeder, Inc. ("Bidder")
Principal Office Address 7306 Central Park Avenue, Skokie, IL 60076
Contact Person Joe Vrabel Telephone Number (847) 933-0526

TO: Village of Glencoe ("Owner")
675 Village Court
Glencoe, Illinois 60022
Attention: James Tigue, Village Engineer

Bidder warrants and represents that Bidder has carefully examined the Work Site described below and its environs and has reviewed and understood all documents included, referred to, or mentioned in this bound set of documents, including Addenda Nos. None, which are securely stapled to the end of this Contract.

1. Work Proposal

A. Contract and Work. If this Contract is accepted, Bidder proposes and agrees that Bidder shall, at its sole cost and expense, provide, perform, and complete, in the manner specified and described, and upon the terms and conditions set forth, in this Contract and Owner's written notification of acceptance in the form included in this bound set of documents, all of the following, all of which is herein referred to as the "Work":

1. Labor, Equipment, Materials and Supplies. Provide, perform, and complete, in the manner specified and described in this Contract/Proposal, all necessary work, labor, services, transportation, equipment, materials, supplies, information, data, and other means and items necessary for the Residential Concrete Sidewalk and Curb Replacement Project, (the "Work Site");
2. Permits. Procure and furnish all permits, licenses, and other governmental approvals and authorizations necessary in connection therewith;
3. Bonds and Insurance. Procure and furnish all bonds and all insurance certificates specified in this Contract;
4. Taxes. Pay all applicable federal, state, and local taxes;
5. Miscellaneous. Do all other things required of Bidder by this Contract; and
6. Quality. Provide, perform, and complete all of the foregoing in a proper and workmanlike manner, consistent with highest standards of professional and construction practices, in full compliance with, and as required by or pursuant, to this Contract, and with the greatest economy, efficiency, and expedition consistent therewith, with only new, undamaged, and first quality equipment, materials, and supplies.
7. Engagement Term. The Agreement shall be in effect for a one (1) year period from the date of the award. The Agreement may be renewed for one (4) additional

one (1) year period, subject to acceptable performance by the Contractor, by mutual agreement of the Village and the Contractor.

8. Annual Increase. The Contractor may increase the rates and charges that comprise the Agreement Price each year on the anniversary of the Commencement Date by a percentage not to exceed the percentage increase in the Consumer Price Index for All Urban Consumers (CPI-U) for the Chicago-Gary –Kenosha, L, IN, WI Area issued by the United States Department of Labor between January 15th of the preceding calendar year and January 15th of the current calendar year. The Contractor must provide the Village with written notice of proposed increase in the Agreement Price no later than 90 days prior to the anniversary of the Commencement Date.

B. Performance Standards. If this Contract is accepted, Bidder proposes and agrees that all Work shall be fully provided, performed, and completed in accordance with the following specifications: Schroeder & Schroeder, Inc.. (the "Contractor") will complete the 2026 Residential Concrete Sidewalk and Curb Replacement Project, generally described concrete replacement which may consist of the following: removal and replacement of concrete sidewalk and curb and related restoration.

No provision of any referenced standard, specification, manual or code shall change the duties and responsibilities of Owner or Bidder from those set forth in this Contract. Whenever any equipment, materials, or supplies are specified or described in this Contract by using the name or other identifying feature of a proprietary product or the name or other identifying feature of a particular manufacturer or vendor, the specific item mentioned shall be understood as establishing the type, function, and quality desired. Other manufacturers' or vendors' products may be accepted, provided that the products proposed are equivalent in substance and function to those named as determined by Owner in its sole and absolute discretion.

C. Responsibility for Damage or Loss. If this Contract is accepted, Bidder proposes and agrees that Bidder shall be responsible and liable for, and shall promptly and without charge to Owner repair or replace, damage done to, and any loss or injury suffered by, Owner, the Work, the Work Site, or other property or persons as a result of the Work.

D. Inspection/Testing/Rejection. Owner shall have the right to inspect all or any part of the Work and to reject all or any part of the Work that is, in Owner's judgment, defective or damaged or that in any way fails to conform strictly to the

requirements of this Contract and Owner, without limiting its other rights or remedies, may require correction or replacement at Bidder's cost, perform or have performed all Work necessary to complete or correct all or any part of the Work that is defective, damaged, or nonconforming and charge Bidder with any excess cost incurred thereby, or cancel all or any part of any order or this Contract. Work so rejected may be returned or held at Bidder's expense and risk.

E. Equipment and Staging. Contractor shall be responsible for the proper, safe and adequate storage of all materials and equipment. The Contractor shall not place any equipment or materials on the job site without prior approval by the Village. All staging locations for equipment and materials must be pre-approved by the Village. Contractor and subcontractors are responsible for the security of their own materials, tools and equipment at the site.

F. Protection of Public and Private Property. The Contractor shall exercise all necessary caution to protect pedestrian traffic and to protect all public and private property from injury or damage caused by the operations of the Contractor. Any practice determined to be hazardous in the opinion of the Village shall be immediately discontinued by the Contractor upon receipt of either verbal or written notice to discontinue such practice.

Closure of public streets shall not be permitted; closure of off-street parking spaces shall only be permitted when prior arrangements have been made with the Village.

2. Contract Price Proposal

If this Contract is accepted, Bidder proposes, and agrees, that Bidder shall take in full payment for all Work and other matters set forth under Section 1 above, including overhead and profit; taxes, contributions, and premiums; and compensation to all subcontractors and suppliers, the compensation set forth below.

A. Schedule of Prices. For providing, performing, and completing all Work, the sum of the products resulting from multiplying the actual number of acceptable units of Unit Price Items listed in Exhibit A – Schedule of Prices.

TOTAL CONTRACT PRICE NOT-TO-EXCEED (in numbers):

\$220,000.00

B. Basis for Determining Prices. It is expressly understood and agreed that:

1. All prices stated in Exhibit A - Schedule of Prices are firm and shall not be subject to escalation or change;
2. Owner is not subject to state or local sales, use, and excise taxes, that no such taxes are included in Exhibit A - Schedule of Prices, and that all claim or right to claim any additional compensation by reason of the payment of any such tax is hereby waived and released; **[and]**
3. All other applicable federal, state, and local taxes of every kind and nature applicable to the Work are included in Exhibit A - Schedule of Prices.
4. The approximate quantities set forth in the Schedule of Prices for each Unit Price Item are Owner's estimate only,

that Owner reserves the right to increase or decrease such quantities, that payment for each Unit Price Item shall be made only on the actual number of acceptable units of such Unit Price Item installed complete in place in full compliance with this Contract/Proposal, and that all claim or right to dispute or complain of any such estimated quantity, or to assert that there was any misunderstanding in regard to the nature or amount of any Unit Price Item to be provided or performed, is hereby waived and released; and

5. Any items of Work not specifically listed or referred to in the Schedule of Prices, or not specifically included for payment under any Unit Price Item, shall be deemed incidental to the Contract Price, shall not be measured for payment, and shall not be paid for separately except as incidental to the Contract Price, including without limitation extraordinary equipment repair, the cost of transportation, packing, cartage, and containers, the cost of preparing schedules and submittals, the cost or rental of small tools or buildings, the cost of utilities and sanitary conveniences, and any portion of the time of Bidder, its superintendents, or its office and engineering staff.

C. Time of Payment. It is expressly understood and agreed that all payments shall be made in accordance with the following schedule:

Bidder will invoice Owner for all Work completed, and Owner will pay Bidder all undisputed amounts no later than 45 days after receipt by Owner of each invoice.

All payments may be subject to deduction or setoff by reason of any failure of Bidder to perform under this Contract/Proposal. Each payment shall include Bidder's certification of the value of, and partial or final waivers of lien covering, all Work for which payment is then requested and Bidder's certification that all prior payments have been properly applied to the payment or reimbursement of the costs with respect to which they were paid.

All payments may be subject to deduction or setoff by reason of any failure of Bidder to perform under this Contract/Proposal. Each payment shall include Bidder's certification of the value of, and partial or final waivers of lien covering, all Work for which payment is then requested and Bidder's certification that all prior payments have been properly applied to the payment or reimbursement of the costs with respect to which they were paid.

3. Contract Time

If this Contract is accepted, Bidder proposes and agrees that Bidder shall commence the Work within 10 days after Owner's acceptance of the Contract provided Bidder shall have furnished to Owner all bonds and all insurance certificates specified in this Contract (the "Commencement Date"). If this Contract is accepted, Bidder proposes and agrees that Bidder shall perform the Work diligently and continuously and shall complete the Work between May 1, 2026 and December 31, 2026.

4. Financial Assurance

A. Insurance. If this Contract is accepted, Bidder proposes and agrees that Bidder shall provide certificate of insurance evidencing the minimum insurance coverage and limits set forth below within 10 days after Owner's acceptance of this Contract. Such insurance shall be in form, and from

companies, acceptable to Owner and shall name Owner, including its Council members and elected and appointed officials, its officers, employees, agents, attorneys, consultants, and representatives, as an Additional Insured. The insurance coverage and limits set forth below shall be deemed to be minimum coverage and limits and shall not be construed in any way as a limitation on Bidder's duty to carry adequate insurance or on Bidder's liability for losses or damages under this Contract. The minimum insurance coverage and limits that shall be maintained at all times while providing, performing, or completing the Work are as follows:

1. Workers' Compensation and Employer's Liability

Limits shall not be less than:

Worker's Compensation: Statutory

Employer's Liability: \$500,000 each accident-injury; \$500,000 each employee-disease; \$500,000 disease-policy.

Such insurance shall evidence that coverage applies to the State of Illinois and provide a waiver of subrogation in favor of Owner.

2. Commercial Motor Vehicle Liability

Limits for vehicles owned, non-owned or rented shall not be less than:

\$1,000,000 Bodily Injury and Property Damage Combined Single Limit

3. Commercial General Liability

Limits shall not be less than:

\$1,000,000 Bodily Injury and Property Damage Combined Single Limit.

Coverage is to be written on an "occurrence" basis.
Coverage to include:

- Premises Operations
- Products/Completed Operations
- Independent Contractors
- Personal Injury (with Employment Exclusion deleted)
- Broad Form Property Damage Endorsement
- "X," "C," and "U"
- Contractual Liability

Contractual Liability coverage shall specifically include the indemnification set forth below.

4. Umbrella Liability

Limits shall not be less than:

\$2,000,000 Bodily Injury and Property Damage Combined Single Limit.

This Coverage shall apply in excess of the limits stated in 1, 2, and 3 above.

B. Indemnification. If this Contract is accepted, Bidder proposes and agrees that Bidder shall indemnify, save harmless, and defend Owner against all damages, liability,

claims, losses, and expenses (including attorneys' fees) that may arise, or be alleged to have arisen, out of or in connection with Bidder's performance of, or failure to perform, the Work or any part thereof, or any failure to meet the representations and warranties set forth in Section 6 of this Contract.

C. Penalties. If this Contract is accepted, Bidder proposes and agrees that Bidder shall be solely liable for any fines or civil penalties that are imposed by any governmental or quasi-governmental agency or body that may arise, or be alleged to have arisen, out of or in connection with Bidder's performance of, or failure to perform, the Work or any part thereof.

5. Firm Contract

All prices and other terms stated in this Contract are firm and shall not be subject to withdrawal, escalation, or change provided Owner accepts this Contract within 45 days after the date the bidder's contract proposal is opened.

6. Bidder's Representations and Warranties

To induce Owner to accept this Contract, Bidder hereby represents and warrants as follows:

A. The Work. The Work, and all of its components, (1) shall be of merchantable quality; (2) shall be free from any latent or patent defects and flaws in workmanship, materials, and design; (3) shall strictly conform to the requirements of this Contract, including without limitation the performance standards set forth in Section 1B of this Contract; and (4) shall be fit, sufficient, and suitable for the purposes expressed in, or reasonably inferred from, this Contract and the warranties expressed herein shall be in addition to any other warranties expressed or implied by law, which are hereby reserved unto Owner. [If this Contract is accepted, Bidder proposes and agrees that as part of Bidder's warranty obligations under this Contract, shall provide, perform, and complete all post-installation service, maintenance, and inspection Work, and associated Work.] Bidder, promptly and without charge, shall correct any failure to fulfill the above warranty at any time within [two] years after final payment or such longer period as may be prescribed in the performance standards set forth in Section 1B of this Contract or by law. The above warranty shall be extended automatically to cover all repaired and replacement parts and labor provided or performed under such warranty and Bidder's obligation to correct Work shall be extended for a period of two years from the date of such repair or replacement. The time period established in this Section 6A relates only to the specific obligation of Bidder to correct Work and shall not be construed to establish a period of limitation with respect to other obligations that Bidder has under this Contract.

B. Compliance with Laws. The Work, and all of its components, shall be provided, performed, and completed in compliance with, and Bidder agrees to be bound by, all applicable federal, state, and local laws, orders, rules, and regulations, as they may be modified or amended from time to time, including without limitation the Illinois Prevailing Wage Act, 820 ILCS 130/0.01 et seq. and any other prevailing wage laws; any statutes requiring preference to laborers of specified classes; the Illinois Steel Products Procurement Act, 30 ILCS 565/1 et seq.; any statutes prohibiting discrimination because of, or requiring affirmative action based on, race, creed, color, national origin, age, sex, or other prohibited classification; the Employment of Illinois Workers on Public Works Act, 30 ILCS 570/0.01 et seq.; and any statutes regarding safety or the performance of the Work.

C. Prevailing Wage Act. This Contract calls for the construction of a "public work," within the meaning of the Illinois Prevailing Wage Act, 820 ILCS 130/0.01 et seq. (the "Act"). If the Illinois Department of Labor revises the prevailing rate of hourly wages to be paid, the revised rate will apply to this Contract. Bidder and any subcontractors rendering services under this Contract must comply with all requirements of the Act, including but not limited to, all wage, notice, and record-keeping duties and certified payrolls.

D. Not Barred. Bidder is not barred by law from contracting with Owner or with any other unit of state or local government as a result of (i) a violation of either Section 33E 3 or Section 33E 4 of Article 33 of the Criminal Code of 2012, 720 ILCS 5/33E-1 et seq.; or (ii) a violation of the USA Patriot Act of 2001, 107 Public Law 56 (October 26, 2001) (the "Patriot Act") or other statutes, orders, rules, and regulations of the United States government and its various executive departments, agencies and offices related to the subject matter of the Patriot Act, including, but not limited to, Executive Order 13224 effective September 24, 2001. Bidder is not acting, directly or indirectly, for or on behalf of any person, group, entity or nation named by the United States Treasury Department as a Specially Designated National and Blocked Person, or for or on behalf of any person, group, entity or nation designated in Presidential Executive Order 13224 as a person who commits, threatens to commit, or supports terrorism; and Bidder is not engaged in this transaction directly or indirectly on behalf of, or facilitating this transaction directly or indirectly on behalf of, any such person, group, entity or nation.

E. Qualified. Bidder has the requisite experience, ability, capital, facilities, plant, organization, and staff to enable Bidder to perform the Work successfully and promptly and to commence and complete the Work within the Contract Price and Contract Time set forth above. Bidder warrants and represents that it has met and will meet all required standards set forth in Owner's Responsible Bidder Ordinance M-66-11, including, without limitation, that Bidder and all of Bidder's subcontractors have an active apprenticeship and training program approved and registered with the United States Department Labor Bureau of Apprenticeship and Training for each of the trades that will perform Work under this Contract.

7. Acknowledgements

In submitting this Contract, Bidder acknowledges and agrees that:

A. Reliance. Owner is relying on all warranties, representations, and statements made by Bidder in this Contract.

B. Reservation of Rights. Owner reserves the right to reject any and all proposals, reserves the right to reject the low price proposal, and reserves such other rights as are set forth in the Instructions to Bidders.

C. Acceptance. If this Contract is accepted, Bidder shall be bound by each and every term, condition, or provision contained in this Contract and in Owner's written notification of acceptance in the form included in this bound set of documents.

D. Remedies. Each of the rights and remedies reserved to Owner in this Contract shall be cumulative and additional to any other or further remedies provided in law or equity or in this Contract.

E. Time. Time is of the essence for this Contract and, except where stated otherwise, references in this Contract to days shall be construed to refer to calendar days.

F. No Waiver. No examination, inspection, investigation, test, measurement, review, determination, decision, certificate, or approval by Owner, whether before or after Owner's acceptance of this Contract; nor any information or data supplied by Owner, whether before or after Owner's acceptance of this Contract; nor any order by Owner for the payment of money; nor any payment for, or use, possession, or acceptance of, the whole or any part of the Work by Owner; nor any extension of time granted by Owner; nor any delay by Owner in exercising any right under this Contract; nor any other act or omission of Owner shall constitute or be deemed to be an acceptance of any defective, damaged, or nonconforming Work, nor operate to waive or otherwise diminish the effect of any representation or warranty made by Bidder; or of any requirement or provision of this Contract; or of any remedy, power, or right of Owner.

G. Severability. The provisions of this Contract/ Proposal shall be interpreted when possible to sustain their legality and enforceability as a whole. In the event any provision of this Contract shall be held invalid, illegal, or unenforceable by a court of competent jurisdiction, in whole or in part, neither the validity of the remaining part of such provision, nor the validity of any other provisions of this Contract shall be in any way affected thereby.

H. Amendments. No modification, addition, deletion, revision, alteration, or other change to this Contract shall be effective unless and until such change is reduced to writing and executed and delivered by Owner and Bidder, except that Owner has the right, by written order executed by Owner, to make changes in the Work ("Change Order"). If any Change Order causes an increase or decrease in the amount of the Work, then an equitable adjustment in the Contract Price or Contract Time may be made. No decrease in the amount of the Work caused by any Change Order shall entitle Bidder to make any claim for damages, anticipated profits, or other compensation.

I. Assignment. Neither this Contract, nor any interest herein, shall be assigned or subcontracted, in whole or in part, by Bidder except upon the prior written consent of Owner.

J. Governing Law. This Contract, and the rights of the parties under this Contract shall be interpreted according to the internal laws, but not the conflict of law rules, of the State of Illinois. Every provision of law required by law to be inserted into this Contract/Proposal shall be deemed to be inserted herein.

[SIGNATURE PAGE FOLLOWS]

ATTEST:

By: _____
Village Clerk

Date: _____

ATTEST:

By: _____

Title: _____

Date: _____

VILLAGE OF GLENCOE

By: _____
Village Manager

Date: _____

SCHROEDER & SCHROEDER, INC

By: _____

Its: _____

Date: _____

EXHIBIT A – Schedule of Prices

Item No.	Item Description	Unit	Unit Price
1	P.C.C. SIDEWALK REMOVAL AND REPLACEMENT (5-6")	SF	\$ 14.29
2	P.C.C. DRIVEWAY PAVEMENT REMOVAL AND REPLACEMENT (6")	SY	\$ 92.52
3	COMBINATION CONCRETE CURB AND GUTTER REMOVAL AND REPLACEMENT	LF	\$ 51.91
4	DETECTABLE WARNING FIELDS	EACH	\$ 359.80
5	STRUCTURE ADJUSTMENT	EACH	\$ 976.60

EXHIBIT B – Project Specifications

SPECIFICATIONS

Estimated Quantities per Municipality per the specifications identified herein:

Item No.	Item Description	Unit	Arlington Heights	Gurnee	Total
1	Traffic Control and Protection for Temporary Detour	EACH	As Needed		
2	Arrow Board	CAL DAY	As Needed		
3	P.C.C. Pavement Patch, CL B (7")	SY	1,200		1,200
4	P.C.C. Pavement Patch, CL B, State & County Roads, Base Only (9")	SY	250		250
5	P.C.C. Driveway Pavement Removal and Replacement (6")	SY	900		900
6	P.C.C. Sidewalk Removal and Replacement (5-6")	SF	38,000	14,250	52,250
7	P.C.C. Patio Removal and Replacement	SF	X		
8	Combination Concrete Curb and Gutter Removal and Replacement (M3.12, B6.12, B6.18)	LF	2,000		2,000
9	Combination Concrete Curb and Gutter Removal and Replacement (B6.24)	LF	250		250
10	Detectable Warning Fields	EACH	20	20	40
11	Detectable Warning Fields (Supplied by Municipality)	EACH	X		
12	Reinforcement Bars, Epoxy Coated-Two Continuous No. 5	LF	As Needed	As Needed	
13	Tree Grate Removal & Replacement	EACH	5-10		5-10
14	P.C.C. Ribbon Removal & Replacement	SY	75		75
Supp. Item	Valve Vaults, Manholes, Inlets, Catch Basins to be Adjusted	EACH	As Needed	As Needed	
Supp. Item	Aggregate Base Course, Type B, 4-Inch	SY	As Needed		
Supp. Item	P.C.C. Sidewalk Removal and Replacement (5-6"), State & County Road	SF	1,000	4,350	5,350
Supp. Item	Temporary Information Signing	EACH	As Needed	As needed	

1. SCOPE OF WORK

The Work consists of furnishing all labor, materials, equipment, and other incidentals necessary for the complete removal and replacement of concrete sidewalk, curb & gutter, concrete ribbon, driveways, small street patches, patios, installation of ADA detectable warnings, traffic control, tree grates, and other miscellaneous items at various locations within the Municipalities.

2. TERM OF CONTRACT

The initial term of this contract shall be a one-year period commencing January 1, 2025 and expiring December 31, 2025. Upon satisfactory completion of the initial one-year term of the contract, the VILLAGE may with mutual agreement of the Vendor extend the contract for up to five (5) one-year extensions.

In the event this contract is extended, the CONTRACTOR may, 30 days prior to the extended contract term raise the price for services to be performed under the contract by giving written notice to the VILLAGE. The increase shall not exceed the previous twelve-month period of the Chicago Consumer Price Index. The rate adjustment shall take effect each year beginning on January 1, 2026. The increase in contract price shall be effective thirty (30) days after the written notice is given and approved by the VILLAGE. Only one increase shall be allowed in any contract extension period.

3. CONTRACTOR SUBMITTALS

- 1.1 Prior to beginning work, the Contractor shall furnish to each Municipality the necessary certifications that all materials to be used meet the specification of Division 1000, MATERIALS per the Illinois Department of Transportation (IDOT) "Standard Specifications for Road and Bridge Construction" (Adopted January 1, 2022) and "Supplemental Specifications and Recurring Special Provisions" (Adopted January 1, 2022), hereinafter referred to as the "Standard Specifications", or the most current revisions of the referenced documents.
- 1.2 Prior to beginning work, the Contractor shall provide a list of contacts include the name and phone number of the Project Manager, each crew leader, and an emergency contact who shall be available 24-hours a day, 7 days a week.
- 1.3 Following the award of construction contract and prior to starting work, the Contractor shall furnish to each Municipality a construction progress schedule or critical path schedule satisfactory to the Public Works Director (or his/her designee) which shall show the proposed sequence of work and how the Contractor proposes to complete the work prior to the completion date(s) specified herein.

4. TECHNICAL SPECIFICATIONS

The Contractor shall complete the work in accordance with the Standard Specifications, the latest edition of the "Manual on Uniform Traffic Control Devices for Streets and Highways", and the "Manual of Test Procedures for Materials" in effect on the date of invitation for bids, and the Supplemental Specifications and Recurring Special Provisions which apply to and govern the construction of this work. The Contractor shall comply with all other applicable ordinances and requirements of State, County, Local and other agencies having jurisdictional authority over the work. Where there is a conflict between these Specifications, the Standard Specifications and other applicable requirements, the most restrictive requirement shall prevail. The Contractor shall provide all necessary labor, tools,

equipment, materials and other appurtenances necessary to complete the work unless otherwise noted in these Specifications.

5. MATERIALS & SERVICES TO BE PROVIDED BY THE MUNICIPALITIES

Each Municipality shall provide the Contractor with a list(s) of repairs sorted by address and a map showing the approximate location of each repair.

6. MATERIAL TESTING

QC Testing is not required for materials used associated with this project. The Municipalities may contract with a separate materials testing firm to perform materials testing if it is in the best interest of the Municipality. If testing performed by the Municipality results in unsatisfactory results, the Contractor shall take corrective action to ensure the materials meet the Standard Specifications. The corrective action must be approved by the Public Works Director (or his/her designee). The Municipality, at its own discretion, may require unsatisfactory material to be removed and replaced at no additional cost to the Municipality.

7. RESIDENT NOTIFICATION

Residents shall be notified in writing 48 hours in advance of work adjacent their driveway that will prohibit access including sidewalk, driveway, concrete ribbon, curb & gutter, or pavement improvements. The notification must include an alternate date in case of rain or other cancellations and Contractor's contact person(s) and phone number for additional information.

Driveways shall be kept barricaded for a minimum of 3 days.

8. PROTECTION OF WORK

The Contractor shall be responsible to provide personnel to protect his work from third party damage. Should any of the new work be damaged, it shall be removed and replaced at the Contractor's expense. The Contractor shall schedule his work so that the concrete placed, takes its initial set during daylight hours. Claims of darkness shall not be reason to relieve the Contractor from responsibility.

9. REMOVAL AND HAULING OF DEBRIS

All material excavated during the progress of the work shall be immediately loaded and hauled away and shall not be stored in the street or parkway area.

10. RESTORATION

Restoration of areas adjacent to the proposed improvements, not identified for additional work, shall be incidental to all Pay Items.

Restoration includes all the landscape, driveway, sidewalk, or pavement restoration within 2 feet of improved areas, unless otherwise determined by the Municipality. Any damage due to negligence of the Contractor or deemed unnecessary by the Municipality will be restored at no additional cost to the Municipality. Restoration must be completed to the satisfaction of the Public Work Director (or his/her designee). The Public Works Director (or his/her designee) may request restoration not satisfactorily completed to be removed and replaced at no additional cost to the Municipality.

All restored areas shall be saw-cut to provide a neat vertical face between the existing surface and the work performed.

Concrete restoration shall meet the Specifications as listed herein.

Asphalt surface restoration shall consist of new HMA pavement to match the existing pavement thickness or 4- inches minimum, whichever is greater.

Landscape restoration shall consist of 4-inches of topsoil, seed, and blanket.

11.SAW CUTTING

Saw cutting shall be performed as needed to protect areas adjacent to proposed improvements, provide a neat clean vertical face between the existing surface and the work performed, and as specified herein.

Saw cutting will not be paid for separately, but will be included in the items for which this work applies.

12.CONCRETE CURING

As soon as the finished concrete has lost its sheen, a spray-on membrane curing compound conforming to Section 1022.01 and Section 1020.13 of the Standard Specifications shall be applied to all finished concrete surfaces. The membrane curing compound shall be white pigmented, no clear curing compound will be allowed. WORK THAT IS NOT PROPERLY CURED WILL NOT BE ACCEPTED OR PAID FOR. All Portland Cement

Concrete shall be treated with a protective coat application.

13.MOBILIZATION

This work shall be done in accordance with Section 671 of the Standard Specifications except as modified herein.

The estimated number of mobilizations that the Contractor shall make to each municipality is as follows:

Village of Arlington Heights: 3 Mobilizations

Village of Gurnee:

Mobilization will not be paid for separately, but will be included in the items for which this work applies.

14.TREE PROTECTION AND PRUNING

The Contractor shall prune vegetation that interferes with construction (i.e. tree branches, overgrown bushes, etc.) in accordance with Section 201.05 of the Standard Specifications. The Contractor shall not remove existing trees without prior approval of the Public Works Director (or his/her designee).

Cost of tree protection and pruning is incidental to the contract.

15.TRAFFIC CONTROL AND PROTECTION

This work shall be done in accordance with the applicable portions of Section 701 of the Standard Specifications, the Supplemental Specifications, the "Illinois Manual on Uniform Traffic Control Devices for Streets and Highways", and any details and Highway Standards contained in the Plans and Special Provisions, and the Special Provisions contained herein, except as modified herein. Special Attention is called to Article 107.09 of the Standard Specifications and the following Highway Standards, Details, Recurring Local Roads and

Streets Special Provisions, and Special Provisions contained herein, relating to traffic control.

HIGHWAY STANDARDS: 701301, 701311, 701501, 701801, 701901

DISTRICT ONE DETAILS: Traffic Control and Protection for Side Roads, Intersections, and Driveways.

RECURRING LOCAL ROADS AND STREETS SPECIAL PROVISIONS:

Work Zone Traffic Control Surveillance, Flaggers in Work Zones.

This work includes furnishing, installing and maintaining of all temporary signs, barricades, warning lights, fences, flagmen, and other devices which are to be used for purposes of regulating, warning or guiding vehicular or pedestrian traffic during construction of this project.

All barricades shall have working lights or flashers attached and be operational during nighttime hours.

The Contractor shall maintain one lane open to traffic at all times. Two lanes of traffic shall be maintained at all times during nonworking hours. Type II barricades (State of Illinois Standard 2299-9) with lights shall be maintained, whenever one lane of traffic is to be closed, at 25-foot intervals, except wherever there is a vertical grade difference of six inches or more; barricades shall be spaced at ten-foot intervals, throughout the improvement.

When it becomes necessary to close a street due to work through an intersection or street crossing, the Contractor shall provide traffic control devices in accordance with State of Illinois Standard "701501-02".

No excavation shall be left open overnight. All traffic control devices shall remain in place until specific authorization for their removal is received from the Public Work Director (or his/her designee).

No work shall proceed unless all traffic control devices are in place as specified herein or as determined by the Public Work Director (or his/her designee).

All traffic control devices shall be kept clean and neat appearing and shall be replaced immediately if they become ineffective due to damage or defacement.

The Contractor shall contact the Municipality at least 72 hours in advance of beginning work. Construction operations shall be conducted in a manner such that streets will be open to emergency traffic and accessible as required to local traffic. Advanced notice shall be provided to residents, police, fire, school districts and trash haulers when access to any street will be temporarily closed or limited. Removal and replacement of curb and gutter and driveways shall be planned so as to cause a minimum of inconvenience to the abutting property owners. The work shall be accomplished such that the streets will be left open to local traffic at the end of each working day.

This work will not be paid for separately, but will be included in the items for which this work applies. This work includes all labor, materials, installation,

transportation, maintenance, handling, flagmen and incidental expenses or work necessary to furnish, install, maintain and remove all traffic control devices indicated herein and as determined by the Public Work Director (or his/her designee) to complete the work as specified. Additional flaggers, fencing, signs, or barricades as may be required by the Public Work Director (or his/her designee) for safe movement of traffic and pedestrians will not be paid for separately, but will be included in the items for which this work applies.

16. PAY ITEMS

a. TRAFFIC CONTROL AND PROTECTION FOR TEMPORARY DETOUR

When traffic is to be directed over a detour route, the Contractor shall furnish, erect, maintain and remove all applicable traffic control devices along the detour route as determined by the Public Work Director (or his/her designee).

Basis of Payment: This work will be paid for at the contract unit price per each detour location for TRAFFIC CONTROL AND PROTECTION FOR TEMPORARY DETOUR.

b. ARROW BOARD

This work shall include providing and maintaining an Arrow Board for traffic control in accordance with the applicable portions of Section 701 of the Standard Specifications and Highway Standards 701301, 701311, 701501, 701801 and 701901 when requested by the Public Work Director (or his/her designee).

Basis of Payment: When an Arrow Board is requested by the Public Work Director (or his/her designee) this work will be paid for at the contract unit price per calendar day for each ARROW BOARD.

c. P.C.C. PAVEMENT PATCH – CL B (7”)

This Pay Item intended to be used on municipal-owned concrete roadways.

This work shall be done in accordance with the Standard Specifications insofar as applicable, including Section 442. This pay item shall include removal of the existing concrete, installation of new concrete patch, saw-cutting, dowel bars, tie bars, contraction joints, expansion joints, and preparation of existing base. Joints do not need to be sealed.

Dowel bars and tie bars are required in the new concrete patch.

Also included in this Pay Item is the installation of integral or monolithic curb where existing monolithic or integral curb exists. In this case, the pavement patch will be measured to the back-of-curb.

The concrete shall be Class PP-1 Portland Cement Concrete per Section 1020 of the Standard Specifications.

Basis of Payment: This work shall be paid for at the contract unit price per square yard for P.C.C. PAVEMENT PATCH CL B (7”).

d. P.C.C. PAVEMENT PATCH – CL B: STATE AND COUNTY ROADS, BASE ONLY (9")

This Pay Item is intended to be used in the Municipalities along State and County roadways in which the concrete base needs to be replaced prior to a new asphalt surface being installed. Asphalt surface to be installed by others and should not be included in this Pay Item.

This work shall be done in accordance with the Standard Specifications insofar as applicable, including Section 442. This pay item shall include removal of the existing concrete, installation of new concrete patch, saw-cutting, dowel bars, tie bars, contraction joints, expansion joints, and preparation of existing base. Joints do not need to be sealed.

Surface of concrete patch does not need to be hand finished since asphalt pavement will be installed over patch.

The item shall consist of the removal of existing concrete pavement and temporary patching material and replacement with concrete pavement on County and/or Illinois Department of Transportation Right-of-Way at locations to be specified.

Whenever work is performed in State or County Right-of-Way, the Contractor is required to obtain permits from the State and County Highway Departments for this work. The Contractor shall pay for the required bonds and/or insurance required to obtain permits. The cost of obtaining permits, including additional bonds and/or insurance is incidental, and should be included in this unit price.

County Highway Department Specifications and Standards shall be used. Contractor shall adhere to any requirements imposed by the County during the permitting process.

The Contractor shall saw-cut and remove the existing concrete or temporary pavement material and replace with new P.C.C. Pavement to match existing depth of concrete. P.C.C. Patch shall be tied to the existing concrete with 18-inch, No. 6 dowel bars, and 30-inches on center with a minimum of 3 dowel bars on each side.

Also included in this Pay Item is the installation of integral or monolithic curb where existing monolithic or integral curb exists. In this case, the pavement patch will be measured to the back-of-curb.

The concrete shall be Class PP-1 Portland Cement Concrete per Section 1020 of the Standard Specifications. Concrete shall meet compressive strength so that asphalt surface can be installed within 24- hours of concrete placement.

Work shall be coordinated with Municipality so final asphalt patch can be installed immediately after concrete has cured.

Basis of Payment: This work shall be paid for at the contract unit price per square yard for P.C.C. PAVEMENT PATCH CL B, STATE AND COUNTY ROADS, BASE ONLY (9").

e. P.C.C. DRIVEWAY PAVEMENT REMOVAL AND REPLACEMENT (6")

This item shall include the removal and replacement of Portland Cement Concrete driveway of the thickness specified. This work shall be done in accordance with the Standard Specifications insofar as applicable, including Section 423 and 440.

The Contractor shall saw-cut a perpendicular clean joint between that portion of the driveway to be removed and that which is to remain in place. If the Contractor removes or damages the existing driveway outside the limits designated by the Public Work Director (or his/her designee) for removal, he will be required to remove and replace that portion at his own expense to the satisfaction of the Public Work Director (or his/her designee).

The concrete shall be Class PV Portland Cement Concrete per Section 1020 of the Standard Specifications.

Expansion joints will be required as specified in Standard Specifications. Expansion joint material will be of the Bituminous Preformed Joint Filler type and is considered incidental to Portland Cement Concrete sidewalk or driveway.

Basis of Payment: This work will be paid for at the contract unit price per square yard for P.C.C. DRIVEWAY PAVEMENT REMOVAL AND REPLACEMENT (6)."

f. P.C.C. SIDEWALK REMOVAL AND REPLACEMENT (5"-6")

This item shall include the removal and replacement of Portland Cement Concrete sidewalk of the thickness specified. This work shall be done in accordance with the Standard Specifications insofar as applicable, including Section 424 and 440.

The Contractor shall saw-cut a perpendicular clean joint between that portion of the sidewalk to be removed and that which is to remain in place. If the Contractor removes or damages the existing sidewalk outside the limits designated by the Public Work Director (or his/her designee) for removal, he will be required to remove and replace that portion at his own expense to the satisfaction of the Public Work Director (or his/her designee).

Sidewalk construction across driveways WILL BE SAWCUT ON BOTH SIDES ADJACENT TO THE DRIVEWAY to reduce the possibility of damage to the driveway. Any damage to driveways will be repaired with like materials and will be considered incidental to Sidewalk Removal and Replacement.

The concrete shall be Class SI Portland Cement Concrete per Section 1020 of the Standard Specifications.

Expansion joints will be required as specified in Standard Specifications except the maximum spacing will be 50 feet. Expansion joint material will be of the Bituminous Preformed Joint Filler type and is considered incidental to Portland Cement Concrete sidewalk or driveway.

The thickness of the new sidewalk shall be a minimum of five (5") inches or equal to the thickness of the existing sidewalk whichever is greater. Sidewalks within the limits of existing or proposed driveways shall have a minimum thickness of

six (6") inches. This additional thickness of sidewalk will be considered incidental to the contract unit price for Sidewalk Removal and Replacement.

Forms shall be held securely in place by stakes or braces with the top edge true to line and grade. The forms for the sidewalk shall be set so the maximum cross-slope is two percent (2%), except as may be otherwise directed by the Public Work Director (or his/her designee).

For sidewalks passing over newly constructed utility trenches, three equally spaced epoxy coated No. 4 reinforcing bars shall be centered over all utility trenches. Bars shall extend a minimum of 5 feet (1.5 m) beyond the walls of the utility trench. Reinforcement shall be incidental to the cost of the pay item.

Basis of Payment: This work will be paid for at the contract unit price per square foot for P.C.C. SIDEWALK REMOVAL AND REPLACEMENT (5"-6").

g. P.C.C. PATIO REMOVAL AND REPLACEMENT

This item shall consist of the removal and replacement of Portland Cement Concrete patios.

Patios are defined as areas with no access to repairs with a motorized vehicle, requiring the Contractor to perform the work with alternative removal, hauling, and delivery methods.

Stair work will also be paid for under this pay item.

Basis of Payment: This work will be paid for at the contract unit price per square foot for P.C.C. PATIO REMOVAL AND REPLACEMENT.

h. COMBINATION CONCRETE CURB & GUTTER REMOVAL AND REPLACEMENT (M3.12, B6.12, B6.18)

This work shall consist of removal and replacement of M3.12, B6.12 and B6.18 combination concrete curb and gutter to match existing. This work shall be done in accordance with the Standard Specifications insofar as applicable, including Section 440 and 606.

The Contractor shall saw-cut a perpendicular clean joint between that portion of the combination concrete curb & gutter to be removed and that which is to remain in place. If the Contractor removes or damages the existing combination concrete curb & gutter outside the limits designated by the Public Work Director (or his/her designee) for removal, he will be required to remove and replace that portion at his own expense to the satisfaction of the Public Work Director (or his/her designee).

Existing pavement (HMA or concrete), driveways, or sidewalks adjacent to combination concrete curb and gutter to be removed and replaced shall be saw-cut to reduce the possibility of damage to the existing pavements, driveways, or sidewalks. Any damage to existing pavement, driveways, or sidewalks will be repaired with like materials and at no additional cost to the Municipalities.

The concrete shall be Class SI Portland Cement Concrete per Section 1020 of the Standard Specifications. All Portland Cement Concrete shall be treated with a protective coat application.

Contraction joints shall be installed according to the Standard Specifications every fifteen feet or at wider spacing if required by the Public Work Director (or his/her designee). For continuous sections greater than 50 feet long, one (1) transverse expansion joints shall be required every 50'. For continuous sections 0-50 feet long, one (1) transverse expansion joint shall be required. Expansion joint material will be of the Bituminous Preformed Joint Filler type and is considered incidental to this Pay Item.

Existing tie bars must be retained or replaced as existing. Dowel bars shall be drilled into existing combination concrete curb & gutter at both ends of the removal and replacement. Tie and dowel bars are considered incidental to this Pay Item.

The new curb must be depressed for wheelchair ramps where sidewalk abuts the curb, then tapered up to full height within two feet.

Basis of Payment: This work will be paid for at the contract unit price per foot for COMBINATION CONCRETE CURB & GUTTER REMOVAL AND REPLACEMENT (M3.12, B6.12, B6.18).

i. COMBINATION CONCRETE CURB AND GUTTER REMOVAL AND REPLACEMENT (B6.24)

This work shall consist of removal and replacement of B6.24 combination concrete curb and gutter to match existing. This work shall be done in accordance with the Standard Specifications insofar as applicable, including Section 440 and 606.

This work shall be performed in accordance with Pay Item for COMBINATION CONCRETE CURB AND GUTTER REMOVAL AND REPLACEMENT (M3.12, B6.12, B6.18).

Basis of Payment: This work will be paid for at the contract unit price per foot for COMBINATION CONCRETE CURB & GUTTER REMOVAL AND REPLACEMENT (B6.24).

j. DETECTABLE WARNING FIELDS

Detectable Warnings shall be brick red, cast-in-place composite panels with inline dome pattern. Acceptable manufactures are ADA Solutions, Inc. or Armorcast Product Company. Panels shall be installed in accordance with the latest ADAAG guidelines and at the direction of the Public Works Director (or his/her designee).

Basis of Payment: This work will be paid for at the contract unit price per each for DETECTABLE WARNING FIELDS

k. DETECTABLE WARNING FIELDS (SUPPLIED BY MUNICIPALITY)

This Pay Item is to be used in those Municipalities where the Detectable Warning Field (DWF) will be supplied by the Municipality. This Pay Item is for installation only of the DWF.

Supplied DWF shall be installed in accordance with the latest ADAAG guidelines and at the direction of the Public Works Director (or his/her designee).

The contractor shall coordinate with Municipality to acquire the needed DWFs.

Basis of Payment: This work will be paid for at the contract unit price per each for DETECTABLE WARNING FIELDS (SUPPLIED BY MUNICIPALITY).

I. REINFORCEMENT BARS, EPOXY COATED – TWO CONTINUOUS NO. 5

This Pay Item is to be used in those Municipalities where it is required when Pay Item for COMBINATION CONCRETE CURB & GUTTER REMOVAL AND REPLACEMENT (M3.12, B6.12, B6.18) is used.

Two (2) continuous No. 5 reinforcing bars shall be provided along the entire length of new constructed Combination Concrete Curb & Gutter.

Basis of Payment: This work will be paid for at the contract unit price per foot for REINFORCEMENT BARS, EPOXY COATED – TWO CONTINUOUS NO. 5.

COMBINATION CONCRETE CURB & GUTTER REMOVAL AND REPLACEMENT (M3.12, B6.12, B6.18) installed will be paid separately and is not included in this Pay Item.

m. TREE GRATE REMOVAL & REPLACEMENT

This item shall include the removal and replacement of Portland Cement Concrete Tree box of the thickness specified by Village. Forming in place for the installation of cast iron tree grates (3'x5', 3'x6', 4'x4') to be provided by municipalities) at various locations within the business district as marked by the Public Work Director (or his/her designee). All locations will be in areas where the existing sidewalk is being replaced. After 24 hours advance notice by the Contractor prior to pouring, all grates will be delivered to the site, at which time the grate shall be set on the form, adjusted to finished grade, and approved by the Public Work Director (or his/her designee).

The concrete shall be Class SI Portland Cement Concrete per Section 1020 of the Standard Specifications

Basis of Payment: This work shall be paid for at the contract unit price per each for TREE GRATE REMOVAL & REPLACEMENT.

n. PCC RIBBON REMOVAL & REPLACEMENT (12"width by 6"depth)

This item shall include the removal and replacement of Portland Cement Concrete Ribbon of the thickness specified. This work shall be done in accordance with the Standard Specifications insofar as applicable, including Section 424 and 440.

The Contractor shall saw-cut a perpendicular clean joint between that portion of the Ribbon to be removed and that which is to remain in place. If the Contractor removes or damages the existing sidewalk, concrete ribbon, parking area, driveway, or surrounding areas outside the limits designated by the Public Work Director (or his/her designee) for removal, the contractor will be required to remove and replace that portion at his own expense to the satisfaction of the Public Work Director (or his/her designee).

Ribbon construction next to buildings or parking areas WILL BE SAWCUT ON BOTH SIDES ADJACENT TO THE building or parking area to reduce the possibility of damage to the area. Any damage to buildings or parking areas will be repaired with like materials and will be considered incidental to Ribbon Removal and Replacement.

The concrete shall be Class SI Portland Cement Concrete per Section 1020 of the Standard Specifications.

Expansion joints will be required as specified in Standard Specifications except the maximum spacing will be 50 feet. Expansion joint material will be of the Bituminous Preformed Joint Filler type and is considered incidental to Portland Cement Concrete sidewalk or driveway.

The thickness of the new Ribbon shall be a minimum of six (6") inches or equal to the thickness of the existing ribbon whichever is greater. Ribbons within the limits of existing or proposed driveways shall have a minimum thickness of six (6") inches. This additional thickness of Ribbon will be considered incidental to the contract unit price for Ribbon Removal and Replacement.

Forms shall be held securely in place by stakes or braces with the top edge true to line and grade. The forms for the ribbon shall be set so the maximum cross-slope is two percent (2%), except as may be otherwise directed by the Public Work Director (or his/her designee).

Any damage to existing pavement, driveways, or sidewalks will be repaired with like materials and at no additional cost to the Municipalities.

Basis of Payment: This work will be paid for at the contract unit price per square yard for P.C.C. RIBBON REMOVAL AND REPLACEMENT (12"width by 6"depth).

o. SUPPLEMENTAL ITEM – VALVE VAULTS, MANHOLES, INLETS, CATCH BASINS TO BE ADJUSTED

This work shall be done in accordance with the Standard Specifications insofar as applicable, including Section 602.

This item shall include site preparation, locating, potholing, exposing, and protection of existing utilities, sheeting, shoring and bracing materials and their installation and removal, dewatering, flow control, abandoning existing catch basin/inlet leads, saw cutting. This item shall also include new manhole/catch basin/inlet base section, concrete bench, riser, top/cone section, adjusting rings, along with the manhole/catch basin/inlet installation; frame and lid or grate;

adjustment; remove and replace; or abandonment. Internal rubber sleeve frame/chimney seal installed as part of sanitary manhole adjustment and reconnection of existing lines shall be considered incidental to this item. Restoration of parkway and lawn shall consist of 4" topsoil, seed, and blanket.

Basis of Payment: This work shall be paid for at the contract unit price per each for VALVE VAULTS, MANHOLES, INLETS, CATCH BASINS TO BE ADJUSTED.

p. SUPPLEMENTAL ITEM – AGGREGATE BASE COURSE, TYPE B, 4-INCH

This work shall be done in accordance with the Standard Specifications insofar as applicable, including Section 351, 311, and 1004.

The base course shall be constructed of not more than 4-inches of thickness when compacted. The base course shall have a gradation of CA-6, Grade 8, Crushed Limestone. No crushed concrete will be allowed.

Prior to installation of the aggregate base course, the subgrade shall be rolled smooth with a roller to provide a smooth surface for placement of the aggregate base course.

Basis of Payment: This work will be paid for at the contract unit price per square yard for AGGREGATE BASE COURSE, TYPE B, 4-INCH.

q. SUPPLEMENTAL ITEM – P.C.C. SIDEWALK REMOVAL AND REPLACEMENT (5"-6"), STATE & COUNTY ROAD.

This item shall include the removal and replacement of Portland Cement Concrete sidewalk of the thickness specified within Illinois Department of Transportation and/or County Right-of-Way at locations to be specified.

This work shall be performed in accordance with Pay Item for P.C.C. SIDEWALK REMOVAL AND REPLACEMENT (5"-6")

Whenever work is performed in State or County Right-of-Way, the Contractor is required to obtain permits from the State and County Highway Departments for this work. The Contractor shall pay for the required bonds and/or insurance required to obtain permits. The cost of obtaining permits, including additional bonds and/or insurance is incidental, and should be included in this unit price.

County Highway Department Specifications and Standards shall be used. Contractor shall adhere to any requirements imposed by the County during the permitting process.

Basis of Payment: This work will be paid for at the contract unit price per square foot for P.C.C. SIDEWALK REMOVAL AND REPLACEMENT (5"-6"), STATE & COUNTY ROAD.

r. SUPPLEMENTAL ITEM – TEMPORARY INFORMATION SIGNING

This work shall consist of furnishing, installing, maintaining, relocating for various states of construction and eventually removing temporary informational signs. Included in this item may be ground mount signs, skid mount signs, truss mount

signs, bridge mount signs, and overlay sign panels which cover portions of existing signs.

Materials shall be according to the following Articles of Section 1000 – Materials:

	Item	Article/Section
a.)	Sign Base (Notes 1 & 2)	1090
b.)	Sign Face (Note 3)	1091
c.)	Sign Legends	1092
d.)	Sign Supports	1093
e.)	Overlay Panels (Note 4)	1090.02

Note 1. The Contractor may use 5/8 inch (16 mm) instead of 3/4 inch (19 mm) thick plywood.

Note 2. Type A sheeting can be used on the plywood base.

Note 3. All sign faces shall be Type A except all orange signs shall meet the requirements of Article 1106.01. Note 4. The overlay panels shall be 0.08 inch (2 mm) thick.

The sign sizes and legend sizes shall be verified by the Contractor and Engineer prior to fabrication.

Signs which are placed along the roadway and/or within the construction zone shall be installed according to the requirements of Article 701.14 and Article 720.04. The signs shall be 7 ft (2.1 m) above the near edge of the pavement and shall be a minimum of 2 ft (600 mm) beyond the edge of the paved shoulder. A minimum of two (2) posts shall be used.

The attachment of temporary signs to existing sign structures or sign panels shall be approved by the Engineer. Any damage to the existing signs due to the Contractor's operations shall be repaired or signs replaced, as determined by the Engineer, at the Contractor's expense.

Signs which are placed on overhead bridge structures shall be fastened to the handrail with stainless steel bands. These signs shall rest on the concrete parapet where possible. The Contractor shall furnish mounting details for approval by the Engineer.

Method of Measurement: This work shall be measured for payment in square feet (square meters) edge to edge (horizontally and vertically). All hardware, posts or skids, supports, bases for ground mounted signs, connections, which are required for mounting these signs will be included as part of this pay item.

Basis of Payment: This work shall be paid for at the contract unit price per square foot for TEMPORARY INFORMATION SIGNING.

17. SCHEDULING OF WORK AND COMPLETION DATES

The Contractor shall coordinate directly with Public Works Director (or his/her designee) for each Municipality to schedule the work.

The Contractor shall notify each Municipality no less than 72 hours prior to the start of any construction. The Contractor shall also notify the Illinois Department of Transportation, County Highway Department or any other affected agency prior to the start of any work within their respective rights-of-way.

The Contractor shall notify residents in writing 48 hours in advance of any work which will affect their driveway access. The duration of driveway closures shall not exceed 72 hours unless agreed to by the property owner and the Public Works Director (or his/her designee).

All work shall be completed prior to October 31 of each year unless otherwise agreed to by a Municipality or as specified below for individual Municipalities.

18. PERMITS

For any State or County Highway Permits or other required Local Permits, the Contractor shall execute all necessary permit forms, provide and pay for any fee and bond requirements, and execute and comply with all insurance and performance guarantee requirements as incidental to the Contract.

19. JOINT PURCHASING/PURCHASING EXTENSION

The purchase of goods and services pursuant to the terms of this Agreement shall also be offered for purchases to be made by the Municipalities, as authorized by the Governmental Joint Purchasing Act, 30 ILCS 525/0.01, *et seq.* (the "Act"). All purchases and payments made under the Act shall be made directly by and between each Municipality and the successful bidder. The bidder agrees that the Village of Arlington Heights shall not be responsible in any way for purchase orders or payments made by the other Municipalities. The bidder further agrees that all terms and conditions of this Agreement shall continue in full force and effect as to the other Municipalities during the extended term of this Agreement.

Bidder and the other Municipalities may negotiate such other and further terms and conditions to this Agreement ("Other Terms") as individual projects may require. In order to be effective, Other Terms shall be reduced to writing and signed by a duly authorized representative of both the successful bidder and the other Municipality.

The bidder shall provide the other Municipalities with all documentation as required in the RFB, and as otherwise required by the Village of Arlington Heights, including, but not limited to:

- 100% performance and payment bonds in the amount awarded by the respective Municipality
- Certificate of insurance naming each additional Municipality as an additional insured
- Certified payrolls to each Municipality for work performed